



Product Family

CHAINEX 2000

Stainless steel chainmail (4mm) with textile strap. Food contact.

Product Numbers & Ordering Information

	Product Numbers	Details
	250000XR0302	CHAINEX 2000 Stainless steel metal mesh (4mm). Nylon strap. Reversible
	250041XR1302	CHAINEX 2000 Small cuff Stainless steel metal mesh (4mm). Nylon strap. 10 cm metal mesh cuff. Reversible.
	250051XR1302	CHAINEX 2000 Medium cuff Stainless steel metal mesh (4mm). Nylon strap. 16,5 cm metal mesh cuff. Reversible.
	250031XR1302	CHAINEX 2000 Long cuff Stainless steel metal mesh (4mm). Nylon strap. 20 cm metal mesh cuff. Reversible.
	250021XX1302	CHAINEX 2000 PLASTIC CUFF 5 digit glove, made of stainless steel chainmeil with removable or fixed cuff. Fastening by textile or plastic strap with press-button and adjustable buckle. Version Left or right
	230000XR0302	CHAINEX 2000 3 fingers Stainless steel metal mesh (4mm). Nylon strap. 3 fingers version.



254021XX1302

CHAINEX 2000 PLASTIC CUFF



250011XX1302

CHAINEX 2000 PLASTIC CUFF



254011XX1302

CHAINEX 2000 PLASTIC CUFF

Additional Information

Each glove has a colour code for the size.

Packaging Information

Every glove is packaged in a bag or a case on which is pasted a tag indicating the model, together with a multilingual instruction for use in 21 languages

Overview

Key Features

The chainex 2000 line features stainless steel metal mesh gloves with textile strap.

COMFORT

The strap is very flexible and adapts to all wrist sizes to ensure comfort.

SAFETY AND DURABILITY

The outstanding quality of the chainmail glove, CHAINEX, provides increased protection.

Recommended Industries/Use

- Food Services

Hazards

- Cut / Puncture

Regulations

- Gant de protection EPI Catégorie 2 (Directive européenne 89/686/CEE)
- EN 1082 - Gloves and arm guards protection against cuts and stabs by hand knives
- Food contact -

Historical Brand

Chainex

Warranty Information

Honeywell warrants that it's Honeywell Protective Gloves are free from defects in material and workmanship. This limited warranty does not cover any product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any component made of rubber or any other elastomer. The limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product.

Specifications

Materials

Literature & Documents

Chainex 2000 Textile strap wrist glove

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Metal_Mesh/4294998609/1033.aspx

Data Sheet Chainex 2000 Textile wrist strap - AUS

Chainex Spare Parts

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Metal_Mesh/4294998610/1033.aspx

Training & Proper Use

Does not contain any allergenic substances

To ensure optimum protection, Honeywell gloves should be kept in perfect condition for use.

Cleaning: At least once a day Chainex gloves should be scrubbed vigorously at least once a day with hot soapy water (50°C) or in a mixture of hot water (50°C) and detergent.

Rinsing at 82°C minimum. Desinfection with an approved product.

They can also be cleaned in a washing machine.

Do not clean chainmail protective gloves and metal chainmail protective gloves by knocking them against a hard surface.

Any glove showing signs of abnormal wear or missing chainmail must be replaced immediately by a glove in good condition.

Only the manufacturer is authorised to repair defective gloves or to declare a glove beyond repair.

Technical Support

info-nordic.hsp@honeywell.com

info-uk.hsp@honeywell.com

info-export.hsp@honeywell.com

info-hungary.hsp@honeywell.com

info-hungary.hsp@honeywell.com

info-russia.hsp@honeywell.com

info-spain.hsp@honeywell.com